

PRODUCT GUIDE

SIDING TRIM BOARDS DECKING SHEETS MILLWORK





ACRE SHIPLAP SIDING Anchorage, AK

ACRE SHIPLAP SIDING Altamirano Holland, MI


CONTENTS



Build Better with ACRE	۷
Why ACRE?	5
Shiplap Siding	7
Nickel Gap Siding	8
V-Groove Siding	8
Edge & Center Bead/V-Groove Siding	9
Board & Batten Siding	9
Trim Boards	11
Rabbeted Trim	11
Decking	12
Porch Boards	13
Sheet Goods	15
Accessories & Adhesives	16
How ACRE Performs on the Jobsite	17
Product Expectations	18

BUILD BETTER WITH ACRE

Modern Mill is leading the way toward a more sustainable future, one tree-free board at a time. Our award-winning building material, ACRE, is the ideal alternative to wood for countless exterior and interior applications. It's beautiful, easy to work with, easy to care for and better for the environment. ACRE is strong, water-resistant and guaranteed not to rot or splinter. ACRE is a sustainable choice that doesn't sacrifice performance.



ACRE SHIPLAP SIDING Kirkland, WA

RESPONSIBLE, SUSTAINABLE AND LOCAL

We use discarded rice hulls that would otherwise go to landfills, and we embrace a zero-waste manufacturing process. ACRE products are free of phenolic plasticizers such as bisphenol A, formaldehyde, or phthalates, and adhesives. ACRE is 100% recyclable and can be used to form new products at our manufacturing facility in Mississippi, USA.

WHY ACRE?

WORKS LIKE WOOD - BUT BETTER!

- Paintable and stainable with an array of approved colors no primer necessary
- Compatible with regular tools with less wear-and-tear on blades compared to hardwoods
- Easy to cut, rout, sand, fasten (no pre-drilling required), and glue no mushrooming or splitting
- Strong screw and nail retention. Superior bond with approved PVC glues
- No harmful dust or residue.
- Thermoform for folded corners, curves, and creative shapes
- Uniform texture throughout and finish-ready, no need to seal or treat ends or cut edges





ACRE Grain

 ${\sf Embossed}$

NATURAL BEAUTY

- Genuine warm look and feel of wood
- Natural-looking grain
- Finish with hundreds of approved water based paint colors and signature stain colors – visit our online Coatings Resources for more information.
- Digitally print directly on ACRE's surface

UNMATCHED DURABILITY

- Resistant to water, weather, pests, rot, and splintering
- Suitable for ground and water contact
- Sturdy, resists breakage and job site damage
- Easy maintenance just use soap and water
- Virtually no moisture absorption so paint lasts longer than on wood
- Less expansion and contraction than competitive PVC products
- Lightweight, yet strong and straight









ACRE SIDING

Wrap your home in the eco-friendly beauty and durability of ACRE Siding.

SIDING PRODUCTS

- Shiplap Siding
- Nickel Gap Siding
- V-Groove Siding
- Edge and Center Bead/V-Groove Siding
- Board and Batten Siding

ACRE SHIPLAP SIDING Kirkland, WA

SHIPLAP SIDING

ACRE Shiplap Siding offers a sleek, modern aesthetic while providing a timeless farmhouse charm, packaged in durable boards, ready to be finished.





PROFILE DETAILS

Available in: ACRE Grain, Embossed



Nominal Size	Actual Thickness (A)	Actual Width (B)	Reveal (C)	Tongue (D)	Gap (E)	Lengths
1"x6"	3/4"	5-7/16"	4-1/2"	1-3/16"	1/4"	12′, 16′, 20′
1"x8"	3/4"	7-3/16"	6-1/4"	1-3/16"	1/4"	12', 16', 20'
1"x10"	3/4"	9-3/16"	8-1/4"	1-3/16"	1/4"	12', 16', 20'

NICKEL GAP SIDING

Effortlessly sleek, **ACRE Nickel Gap Siding** features clean and consistent gaps while delivering all the beauty of wood without the maintenance.





PROFILE DETAILS

Available in: ACRE Grain



Nominal Size	Actual Thickness (A)	Actual Width (B)	Reveal (C)	Tongue (D)	Gap (E)	Lengths
1"x6"	3/4"	5-7/16"	4-1/2"	1-1/16"	1/8"	12', 16', 20'
1"x8"	3/4"	7-3/16"	6-1/4"	1-1/16"	1/8"	12' 16' 20'
1"x10"	3/4"	9-3/16"	8-1/4"	1-1/16"	1/8"	12' 16' 20'

V-GROOVE SIDING

Experience the bold and modern design of V-shaped channels without the drawbacks – durable, pest-resistant, and visually striking.





PROFILE DETAILS

Available in: ACRE Grain



Nominal Size	Actual Thickness (A)	Actual Width (B)	Reveal (C)	Tongue (D)	Lengths
1"x6"	3/4"	5-7/16"	4-1/2"	15/16"	12', 16', 20'
1"x8"	3/4"	7-3/16"	6-1/4"	15/16"	12' 16' 20'
1"x10"	3/4"	9-3/16"	8-1/4"	15/16"	12' 16' 20'



Learn more at modern-mill.com

EDGE & CENTER BEAD/ V-GROOVE SIDING

Edge and Center Bead is a reversible product with a beaded look on one side and a v-groove on the other.






Edge & Center Bead Side

PROFILE DETAILS

Available in: ACRE Grain



Edge & Center Bead Side

V-Groove Side		
\	— C ———	>
A	~	>
\uparrow	- в	»

Nominal	Actual	Actual	Reveal	Lengths
Size	Thickness (A)	Width (B)	(C)	
1"x6"	0.75"	5.4"	5.2"	16′

BOARD & BATTEN SIDING

With the versatility of ACRE Trim Boards and Sheets, you can create show-stopping board and batten facades for your home's exterior and interior.





BOARD AND BATTEN RECOMMENDATIONS

Board Options (ACRE Sheets)	1/2" or 3/4" Thickness
Batten Options (ACRE Trim)	1" x 2", 1" x 3", 5/4" x 2", or 5/4" x 3"



ACRE TRIM

Finish your home in the eco-friendly beauty and durability of ACRE Trim.

TRIM PRODUCTS

- Trim Boards
- Rabbeted Trim Boards



ACRE TRIM

Board and Batten Siding

Hammond, LA

ACRE TRIM BOARDS

ACRE Trim Boards add a final, beautiful touch to your projects.





PROFILE DETAILS

Available in: ACRE Grain, Embossed



Product Name	Nominal Size	Actual Thickness (A)	Actual Width (B)	Lengths
ACRE 5/8" Trim	5/8" x 3",4",5",6",8",10",12",16"	0.625"	2.5", 3.5", 4.5", 5.5", 7.25", 9.25", 11.25", 15.25"	8' to 20'
ACRE 1" Trim	1" x 3",4",5",6",8",10",12",16"	0.75"	2.5", 3.5", 4.5", 5.5", 7.25", 9.25", 11.25", 15.25"	8' to 20'
ACRE 5/4" Trim	5/4" x 3",4",5",6",8",10",12",16"	15/16"	2.5", 3.5", 4.5", 5.5", 7.25", 9.25", 11.25", 15.25"	8' to 20'

ACRE RABBETED TRIM


ACRE Rabbeted Trim Boards are designed to cover the ends of ACRE siding for a clean and uniform finish. Rabbeted Trim boards eliminate the possibility of unsightly gaps, making for an even more beautiful finish and seamless installation experience.





PROFILE DETAILS

ACRE Grain | Embossed



Product Name	Nominal Size	Actual Thickness (A)	Actual Width (B)	Rabbet Length (C)	Lengths
ACRE 5/4" Trim	5/4" x 4",6",8"	0.938"	3.5", 5.5", 7.25"	0.75"	16′, 20′

ACRE DECKING


Experience the beauty and comfort of a wood deck combined with the unmatched sustainability and durability of ACRE Decking.





PROFILE DETAILS

Available in: ACRE Grain, Embossed



Product Name	Nominal Size	Actual Thickness (A)	Actual Width (B)	Lengths
ACRE Grooved-Edge Decking	5/4" x 6"	15/16"	5.5"	8' to 20'
ACRE Square-Edge Decking	5/4" x 6"	15/16"	5.5"	8' to 20'



INSTALLATION

Recommended for square-edge profile:

- CORTEX HIDDEN FASTENER SYSTEM FOR ACRE
- FACE FASTEN

Recommended fastening systems for grooved edged profile:

- CORTEX HIDDEN FASTENER SYSTEM FOR ACRE
- CAMO EDGE® CLIPS
- ─ CAMO WEDGECLIP™
- TIGER CLAW HIDDEN FASTENING CLIPS

ACRE DECKING
Thousand Oaks, CA






ACRE Porch Boards come in a classic sanded-smooth profile with a tight tongue-and-groove system for minimal gapping between boards.






PROFILE DETAILS

Available in: ACRE Grain



Actual Thickness (A)	Actual Width (B)	Reveal (C)	Lengths
15/16"	3-5/16"	3"	10′, 12′ and 16′



ACRE SHEETS
Kitchen Cabinets
Newton, MA

ACRE SHEET GOODS

Suited for a wide range of applications, ACRE Sheet Goods are the perfect medium for executing your ideas. This revolutionary material can be cut, curved, shaped and molded to fit countless applications, both exterior and interior.





PROFILE DETAILS

Available in: ACRE Grain, Embossed



Product Name	Thickness (A)	Width (B)	Lengths
ACRE 3/8" Sheet Good	3/8"	4′	8' to 20'
ACRE 1/2" Sheet Good	1/2"	4'	8' to 20'
ACRE 5/8" Sheet Good	5/8"	4'	8' to 20'
ACRE 3/4" Sheet Good	3/4"	4'	8' to 20'
ACRE 1" Sheet Good	15/16"	4′	8' to 20'



ACRE SHEETS
Kitchen Cabinets
Orange County, CA

ACCESSORIES & ADHESIVES

- We highly recommend using the following accessories and adhesives to ensure that
 ACRE products perform as designed and to expectations.
- We recommend using a PVC glue or cement, polyurethane glue or construction adhesives. Do not use wood glue.



Refer to our installation guides and product expectations page before installation.



CAMO EDGE®
CLIPS
Compatible with
ACRE Decking



CAMO WEDGECLIP™ Compatible with ACRE Decking



CAMO
EDGEXMETAL®
CLIPS
Compatible with
ACRE Decking
on metal framing



CORTEX HIDDEN
FASTENER SYSTEM
FOR ACRE
Compatible with ACRE
Decking, Siding, and Trim



TIGER CLAW HIDDEN FASTENING CLIP Compatible with ACRE Grooved Decking



TITEBOND PVC TRIM JOINT ADHESIVE Compatible with all ACRE products





HOW ACRE PERFORMS ON THE JOBSITE

COMPARED TO WOOD

- Low maintenance with a limited lifetime guarantee against water, weather, and rot
- Cut, screw, nail or drill with regular tools
- Easier on blades than hardwoods
- No knots or sap lines
- Accepts water based paint and stain beautifully
- No primer required
- Suitable for direct ground contact
- 100% tree-free, sustainable and renewable

COMPARED TO PVC

- No harmful dust
- No static cling
- No edge-gluing required
- No plasticky look or smell
- Paint or stain without priming
- Look and feel of real wood

COMPARED TO COMPOSITES

- Lightweight yet strong and straight
- Easy on tools and blades
- Strong screw and nail retention
- No mushrooming, splitting or pre-drilling

ACRE™ BY MODERN - MILL

PRODUCT EXPECTATIONS

INSTALLATION GUIDES

ACRE contains PVC. It's important to familiarize yourself with its spacing requirements, coatings and all installation guidelines. This will ensure ACRE products perform as designed and to expectations.

TRIMDECKINGFENCING

SIDING
 PORCH BOARDS
 SHEETS

COATING AND FINISHING

PROPER INSTALLATION REQUIRES CLOSE ADHERENCE TO MODERN MILL COATINGS GUIDELINES: This is a critical and important step, especially with outdoor applications for ACRE to perform as expected and to avoid the effects of excessive expansion and contraction.

ACRE does not absorb paints, stains, or clear coats as typical woods products do. For best results, we recommend applying coatings with boards on a smooth flat surface prior to installation.

ACRE products generally will not gray like natural woods in exterior applications. However, color may fade over time with increased UV exposure, therefore a UV-resistant stain or paint can help resist fading and make for easier cleaning and care.

UNIQUE APPEARANCE

Note that rice hulls, like wood, can vary slightly in color, which can be seen in the final product both prior to and after staining. For best appearance it's important to mix boards from various pallets or various points of the stack.

MOVEMENT

ACRE WILL EXPAND AND CONTRACT WITH ENVIRONMENTAL TEMPERATURE CHANGES. INSTALLATION CONDITIONS AND FINISH COLOR WILL IMPACT EXPANSION AND CONTRACTION. Refer to the proper product installation guide to ensure the best product performance and minimize the effects of expansion and contraction.

FASTENERS

USING THE CORRECT TYPE AND NUMBER OF FASTENERS WILL ENSURE MATERIALS PERFORM AS INTENDED. DO NOT USE BRADS, FINISH/TRIM HEAD NAILS/SCREWS, OR STAPLES. Fasteners must penetrate solid framing members. All projects and designs are unique. For any installation questions please contact your Modern Mill Rep.

Caution: under driven button-cap fasteners may inhibit the engagement of siding panels.

HEAT RETENTION

Coatings will affect product performance, including heat retention, therefore it's important to read the Coatings Guide and use manufacturer approved coatings and finishes.

BURNING WARNING

Safety Warning: Do not burn ACRE products or scraps. ACRE products are not safe to be discarded by burning, used as a firewood, kindling or as any other source of fuel to create and/or maintain a fire or heat source.

STORAGE AND HANDLING

We recommend keeping ACRE in a cool, dry spot, out of direct sunlight. Please acclimate ACRE products prior to installation. Always install ACRE immediately after making any cuts.

ADHESIVES

We recommend utilizing a PVC glue or cement, polyurethane glue or construction adhesives. Do not use wood glue.

STAINS AND CLEANING

ACRE products can be stained by certain foods, drinks and chemicals. Clean up any stains or dirt as quickly as possible and keep areas clean from debris. Soap and water, or a product like Simple Green® can clean most stains. In some cases, light sanding may be required. If using a power washer, we do not recommend pressure above 2500 psi and to use a wide fan tip or oscillating tip and keeping the tip a minimum of 12" from the surface.

SURFACE MARRING (SCUFFS) AND LIGHT SURFACE DAMAGE

Like wood, ACRE might endure some dings, dents or marring on the job. Most light surface damage can be removed by simply sanding ACRE lightly with 120 grit sandpaper on a pole or block sander in the direction of the grain. Please note, less than 120 grit sandpaper may scratch the surface and affect the finish when stain is applied. We do not recommend the use of an orbital or palm sander as this can affect the ACRE grain structure.

ENVIRONMENTAL IMPACT

ACRE by Modern Mill is made from upcycled rice hulls in a zerowaste manufacturing facility in the U.S.A. ACRE is tree-free, and free of phthalates, phenol, formaldehyde and adhesives. Contact us at zen@modern-mill.com to learn about options for recycling.

WARRANTY

ACRE products have a limited lifetime guarantee to be free from material defects that are a result of the manufacturing process, rotting or splintering as a direct result of the manufacturing process or by normal use and service provided conditions described in all installation materials and technical guides are met. In no event shall Modern Mill be responsible or liable for labor, installation, re-installation, freight, taxes or any other charges related to defective product. Visit our website to learn more: www.modern-mill.com/warranty

MODERN-MILL

601-869-5050 | zen@modern-mill.com | modern-mill.com

FIRST TIME USING ACRE?

Be sure to visit our Product Expectations page for all our installation guides and best practices before building with ACRE.







ACRE DECKING AND SIDING Laguna Beach, CA



ACRE SIDING
The Lexie Newton, MA

MODERN-MILL



modern-mill.com 601-869-5050